

# IKONNI

## Flexible panels

Flexible Panel's front grooves skin is made from MDF, with a backer of plywood/MDF. A thin layer of fabric between the two wood layers allows the flexibility of the panel.

**Also available as RIGID or TNT Panels.**

Support/core - MDF, multi-layer

Standard dimensions -  
120 cm x 300 cm  
( 47 1/4" x 118 1/8" )

**Standard Finishes:** Walnut, Oak, White Oak, Light Grey, Grey Oak, Teak, Makassar, Ebony.

Can be customized upon request.

Lead time-  
6 weeks production + shipping.

More styles available - contact us

### IKONNI INC.

p. 917-900-7048

e. info@ikonni.com

6 w 20th street, New York, NY 10011

w. ikonni.com




New skills and the experimentation of original uses of tambour panels, have been feeding the complex technique of IKONNI FLEXIBLE PANELS.

The former aim of the rolling shutter was to substitute common doors to save space. Now, during the years and new designs ideas, various new applications came to life such as cabinet doors, wall cladding, curved design element and cover for curved surfaces like columns.

**RIGID Panels** are available as a non-flexible panel solution, where the front grooves have a non-flexible backer of MDF/Plywood.

**TNT Panels** offer the same visual and flexible functionality as flexible wood panels; however, there is no MDF backing attached to these panels. This allows for easy installation, and is much lighter in weight.




# IKONNI

## Flexible panels





1. Any type of sliced wood.
2. External support Flat/bow staves made of sp. wood.
3. Stabilized cotton fabric.
4. Internal support of medium density- phenolic multy-layer of birch wood.
5. Cover sliced wood
6. Stave width.
7. It is possible to personalize the first stave with knobs or handles.





# IKONNI

Flat staves  
ART S1P15



## FINSHES


Makassar	American walnut
Ebony	Grey oak
Teak	Light grey
Oak	White oak

\*Possible to customize color



# IKONNI

Bow staves  
ART S3P5



\*Possible to customize color


## FINISHES

Makassar	American walnut
Ebony	Grey oak
Teak	Light grey
Oak	White oak



# IKONNI

Bow staves  
ART S3P7,5



## FINISHES


Makassar	American walnut
Ebony	Grey oak
Teak	Light grey
Oak	White oak

\*Possible to customize color



# IKONNI


Bow staves  
ART S6P10



\*Possible to customize color



## FINSHES

Makassar	American walnut
Ebony	Grey oak
Teak	Light grey
Oak	White oak



# IKONNI

Bow staves  
ART S6P10



## FINSHES


Makassar	American walnut
Ebony	Grey oak
Teak	Light grey
Oak	White oak



\*Possible to customize color

# IKONNI

Bow staves  
ART S13P26



## FINISHES

Makassar	American walnut
Ebony	Grey oak
Teak	Light grey
Oak	White oak



\*Possible to customize color

---

# IKONNI

## Maintenance & Instalations

---

---

For daily cleaning, use a soft cloth dampened with water and mild multi-purpose neutral detergents then dry the surface with kitchen paper.

---

Avoid cleaning the surfaces with methylated spirit as it could leave persistent marks once it dries.

---

Avoid cleaning the surface with products containing bleach or which are nonetheless highly basic, as they may leave whitish marks in case of prolonged application.

---

Avoid cleaning the surfaces with abrasive sponges and do not leave the surfaces in contact with steel wool or other metal objects that can contain or release oxidized particles.

---

Example for installation structure

