

IKONNI

Flexible Wood Panels

Flexible Panel's front grooves skin is made from MDF, with a backer of plywood/MDF. A thin layer of fabric between the two wood layers allows the flexibility of the panel.

Available Support: MDF or TNT

TNT Support is not intended for flexibility

Standard dimensions -
120 cm x 300 cm
(47 1/4" x 118 1/8")

Standard Finishes: Walnut, Oak, White Oak, Light Grey, Grey Oak, Teak, Makassar, Ebony.

Can be customized upon request.

Lead time-

6 weeks production + shipping.

More styles available - contact us

IKONNI INC.

p. 917-900-7048

e. info@ikonni.com

6 w 20th street, New York, NY 10011

w. ikonni.com



New skills and the experimentation of original uses of tambour panels, have been feeding the complex technique of IKONNI FLEXIBLE PANELS.

The former aim of the rolling shutter was to substitute common doors to save space. Now, during the years and new designs ideas, various new applications came to life such as cabinet doors, wall cladding, curved design element and cover for curved surfaces like columns.

Available Support for Flexible Panels & Milled Panels:

MDF



TNT




IKONNI

Flexible Wood Panels





1. Any type of sliced wood.
2. External support Flat/bow staves made of sp. wood.
3. Stabilized cotton fabric.
4. Internal support of medium density- phenolic multi-layer of birch wood.
5. Cover sliced wood
6. Stave width.
7. It is possible to personalize the first stave with knobs or handles.





IKONNI

Flat staves
ART S1P15



FINISHES

Makassar	American walnut
Ebony	Grey oak
Teak	Light grey
Oak	White oak




*Possible to customize color



IKONNI

Bow staves
ART S3P5



*Possible to customize color


FINISHES

Makassar	American walnut
Ebony	Grey oak
Teak	Light grey
Oak	White oak



IKONNI

Bow staves
ART S3P7.5



*Possible to customize color


FINISHES

Makassar	American walnut
Ebony	Grey oak
Teak	Light grey
Oak	White oak



IKONNI

Bow staves
ART S6P10



*Possible to customize color



FINISHES

Makassar	American walnut
Ebony	Grey oak
Teak	Light grey
Oak	White oak



IKONNI

Bow staves
ART S6P10



FINISHES

Makassar	American walnut
Ebony	Grey oak
Teak	Light grey
Oak	White oak




*Possible to customize color



IKONNI

Bow staves
ART S13P26



*Possible to customize color

FINISHES

Makassar	American walnut
Ebony	Grey oak
Teak	Light grey
Oak	White oak

IKONNI

Maintenance & Installations

For daily cleaning, use a soft cloth dampened with water and mild multi-purpose neutral detergents then dry the surface with kitchen paper.

Avoid cleaning the surfaces with methylated spirit as it could leave persistent marks once it dries.

Avoid cleaning the surface with products containing bleach or which are nonetheless highly basic, as they may leave whitish marks in case of prolonged application.

Avoid cleaning the surfaces with abrasive sponges and do not leave the surfaces in contact with steel wool or other metal objects that can contain or release oxidized particles.

Example for installation structure

